# LOGON

2011 / 1

**Dealer Catalog**

**www.log-on.be**

*YOUR PARTNER IN COMPUTER ACCESSORIES*

# Patch Cables UTP Cat.5e

| 0,5 M | 1 M | 2 M | 3 M | 5 M | 10 M |
|---|---|---|---|---|---|
| TCU55U005 | TCU55U010 | TCU55U020 | TCU55U030 | TCU55U050 | TCU55U100 |
| I EAN:5420016812421 | I EAN: 5420016812490 | I EAN:5420016812568 | I EAN:5420016812629 | I EAN:5420016812674 | I EAN:5420016812728 |
| R EAN:5420016812438 | R EAN: 5420016812506 | R EAN:5420016812575 | R EAN:5420016812636 | R EAN:5420016818423 | R EAN:4016032212706 |
| B EAN:5420016812391 | B EAN:5420016812469 | B EAN:5420016812537 | B EAN:5420016812605 | B EAN:5420016818720 | B EAN:4016032212676 |
| Y EAN: 5420016812452 | Y EAN: 5420016812520 | Y EAN: 5420016812599 | Y EAN: 5420016812650 | Y EAN: 5420016812681 | Y EAN: 4016032212720 |
| G EAN:5420016812414 | G EAN:5420016812483 | G EAN:5420016812551 | G EAN:5420016818737 | G EAN:5420016818744 | G EAN:5420016818751 |
| BL EAN:5420016812407 | O EAN:5420016816528 | O EAN:5420016805881 | O EAN:5420016816542 | O EAN:5420016816559 | BL EAN:5420016816436 |
| WH EAN:5420016812445 | BL EAN:5420016812476 | BL EAN:5420016812544 | BL EAN:5420016812612 | BL EAN:5420016812667 | WH EAN:5420016812735 |
| | WH EAN:5420016812513 | WH EAN:5420016812582 | WH EAN:5420016812643 | WH EAN:5420016816429 | |

| 15 M | 20 M | 30 M |
|---|---|---|
| TCU55U150 | TCU55U200 | TCU55U300 |
| I EAN:5420016812780 | I EAN:5420016812827 | I EAN:5420016816641 |
| R EAN:4016032212768 | R EAN:5420016812834 | R EAN:4016032212928 |
| B EAN:5420016812759 | B EAN:5420016812803 | B EAN:4016032212904 |
| Y EAN: 5420016819000 | Y EAN: 5420016812858 | Y EAN: 4016032212935 |
| G EAN:5420016812773 | G EAN:4016032212812 | G EAN: 4016032212911 |
| BL EAN:5420016812766 | BL EAN:5420016812810 | BL EAN:5420016812872 |
| WH EAN:5420016812797 | WH EAN:5420016812841 | WH EAN:5420016816443 |

## UTP PATCH CABLE CATEGORY 5

- Patch Cable, UTP, CAT.5e
- Unshielded CAT 5e patch cable
- 4 x 2 AWG 26/7, twisted pair, 100 Ohm
- 2 x RJ45 Connector
- Boot with kink protection and strain relief
- Spot length on boot
- 3 P Cat5e certified
- Connection 1 : 1

Cat 5e

**OTHER SIZES AVAILABLE:**
**1,5 M / 7 M / 50 M / 100 M**

www.log-on.be

LOGON

Go take a look for new products, info and drivers...

# Patch Cables SSTP Cat.6a

| 0,5 M | 1 M | 2 M | 3 M | 5 M | 10 M |
|---|---|---|---|---|---|
| TCR6ASS005 | TCR6ASS010 | TCR6ASS020 | TCR6ASS030 | TCR6ASS050 | TCR6ASS100 |
| I EAN: 5420016811387 | I EAN: 5420016811479 | I EAN: 5420016811561 | I EAN: 5420016811653 | I EAN: 5420016811745 | I EAN: 5420016811837 |
| R EAN: 5420016811400 | R EAN: 5420016811493 | R EAN: 5420016811585 | R EAN: 5420016811677 | R EAN: 5420016811769 | R EAN: 5420016811851 |
| B EAN: 5420016811356 | B EAN: 5420016811448 | B EAN: 5420016811530 | B EAN: 5420016811622 | B EAN: 5420016811714 | B EAN: 5420016811806 |
| Y EAN: 5420016811431 | Y EAN: 5420016811523 | Y EAN: 5420016811615 | Y EAN: 5420016811707 | Y EAN: 5420016811790 | Y EAN: 5420016811882 |
| G EAN: 5420016811370 | G EAN: 5420016811462 | G EAN: 5420016811554 | G EAN: 5420016811646 | G EAN: 5420016811738 | G EAN: 5420016811820 |
| O EAN: 5420016811394 | O EAN: 5420016811486 | O EAN: 5420016811578 | O EAN: 5420016811660 | O EAN: 5420016811752 | O EAN: 5420016811844 |
| BL EAN: 5420016811363 | BL EAN: 5420016811455 | BL EAN: 5420016811547 | BL EAN: 5420016811639 | BL EAN: 5420016811721 | BL EAN: 5420016811813 |
| WH EAN: 5420016811424 | WH EAN: 5420016811516 | WH EAN: 5420016811608 | WH EAN: 5420016811691 | WH EAN: 5420016811783 | WH EAN: 5420016811875 |
| V EAN: 5420016811417 | V EAN: 5420016811509 | V EAN: 5420016811592 | V EAN: 5420016811684 | V EAN: 5420016811776 | V EAN: 5420016811868 |

| 15 M | 20 M | 25 M | 30 M |
|---|---|---|---|
| TCR6ASS150 | TCR6ASS200 | TCR6ASS250 | TCR6ASS300 |
| EAN: 5420016811899 | EAN: 5420016811905 | EAN: 5420016811912 | EAN: 5420016811929 |

**S/STP PIMF CAT.6 500MHZ**

- Pairs with foil and full braid shielding
- 4 x 2 x AWG 26/7, twisted pair, 100 Ohm
- 2 x special RJ45 male shielded
- Boot with kink protection and strain relief
- Connection 1 : 1 - EIA/TIA 568B



# Data Cables

## HIGH QUALITY HDMI

- High quality cable - Gold Plated
- High Speed HDMI 1.4
- Ideal for graphic applications, games, video,TV
- Available lengths : 1.80m - 3.00m - 5.00m

| | |
|---|---|
| LBL005 | 1.80 m EAN: 5420016817464 |
| LBL010 | 3.00 m EAN: 5420016817471 |
| LBL015 | 5.00 m EAN: 5420016817488 |

## USB CONNECTION CABLE

- USB connection cable
- USB 2.0 interface
- USB A male <-> USB B male
- Gold Plated
- Available lengths : 2.00m - 3.00m - 5.00m

| | |
|---|---|
| LBL050 | 2.00 m EAN: 5420016817495 |
| LBL055 | 3.00 m EAN: 5420016817501 |
| LKL060 | 5.00 m EAN: 5420016817518 |

## USB EXTENSION CABLE

- USB extension cable
- USB 2.0 interface
- USB A male <-> USB A female
- Gold Plated
- Available lengths : 2.00m - 3.00m - 5.00m

| | |
|---|---|
| LBL100 | 2.00 m EAN: 5420016817252 |
| LBL105 | 3.00 m EAN: 5420016817532 |
| LBL110 | 5.00 m EAN: 5420016817549 |

## USB MINI CONNECTION

- USB mini connection cable
- USB 2.0 interface
- USB A male <> USB B mini male
- Gold Plated
- Available length : 2.00m

| | |
|---|---|
| LBL150 | 2.00 m EAN: 5420016817556 |

## GOLD PLATED PATCH CABLE UTP

- High Quality network cabel
- 2 x RJ45 Gold Plated

| | |
|---|---|
| LBL200 | 1.00 m EAN: 5420016817252 |
| LBL205 | 2.00 m EAN: 5420016817532 |
| LBL210 | 3.00 m EAN: 5420016817549 |
| LBL215 | 5.00 m EAN: 5420016817252 |
| LBL220 | 10.00 m EAN: 5420016817532 |
| LBL225 | 15.00 m EAN: 5420016817549 |

## TWISTED PAIR INSTALLATION

- 305 meters
- Excellent signal transmission
- Maximum Reliability
- Choose between UTP, STP, SFTP, PIMF ...
- CAT 5e, CAT 6
- Available as Solid or Stranded Cable

**ECO5UTP305**
CAT5E EAN: 5420016813817

**ECO6UTP305**
CAT6 EAN: 5420016816481

## 19" - UNMOUNTED WALLMOUNT - 7U - 9U

- 1,1mm - 1,5mm strong sheet steel with high load capacity
- Ventilation slots for passive ventilation and exhaustion
- Safety-Glass door with steel frame and lockable
- 2 x 19" profile rails
- Cable entry on top and bottom
- Load capacity 20 kg

**TDN1907US-BL**
7U EAN: 5420016817198

**TDN1909US-BL**
9U EAN: 5420016817204

## SERVERLINE 19" 42U - 36U - 26U - 18U + FREE COOLING UNIT

( 1 U = 44.45 MM )

- Width : 18U-26U-36U - 600 mm / 42U - 800 mm
- Depth : 1000 mm
- Perforated doors
- Side sections detachable and lockable
- Ventilation slits for passive ventilation and exhaustion
- Protection class IP 20
- Perforated steel front door, opening angle 180° with lockable swing handle
- Dual lockable door front & rear
- Perforated single-wing steel front & perforated double-wing steel rear doors
- Large cable entry with rubber-edged sliding mechanism on the floor, as protection against cable breakage and damage, and ensures the fixation of large bundles of cable.
- Cable entries with brush strips on the floor and in the rear level
- 4 Fan roof module + thermostat included
- 4 castors and screws set included

FREE COOLING UNIT INCLUDED

**TDN19SRV42U8L**
42U EAN: 5420016810847

**TDN19SRV36UL**
36U EAN: 5420016815538

**TDN19SRV26UL**
26U EAN: 5420016815521

**TDN19SRV18UL**
18U EAN: 5420016815514

CASE RACK 19" - 4 UNITS - BLACK
(NO POWER SUPPLY)

- 3x 5.25"
- 7x 3.5" internal
- 2x 80mm ball bearing fans
- Maximum mainboard size: 12x 9.6"
- 2x front access USB 2.0 connectors
- Audio / Micro Output
- Dimensions (WxHxD): 595 x 550 x 250mm

**TPC970NOPSBL**
EAN: 5420016818003

19" SHELF - 1U

- Stable sheet steel shelf
- Complete with fixing material
- 1U - 55 x 480 x 280 (D) mm
- Load capacity : 15 kg

**TDN19TRAY1-B**
EAN: 5420016814074



19" SHELF - 2U

- Stable sheet steel shelf
- Complete with fixing material
- 2U - 50 x 480 x 350 (D) mm
- Load capacity : 15 kg

**TDN19TRAY2-B**
EAN: 5420016814081

# USB Peripherals

## SMARTCOMBO 63 IN 1 CARD READER

**Mobile SIM & free SIM editor software**

- IC cart, Smart card support
- No adapter required
- Direct USB connector
- Supports Slot to Slot direct read/write
- Plug & Play
- Auto detect memorycard
- Up to 480Mbps/sec
- USB 2.0 interface

**LCR001**
EAN: 5420016813701

## ATM, CREDIT, EID CARD READER

- Asynchronous and synchronous smart card interface
- Based on ISO7816, T=0 and T=1 asynchronous card
- EMV2000 (EMV 4.1) compatible
- PC Smart Card industry standard: PC/SC1.0; PC/PC 2.0
- Plug and play and Hot Swap function

**LCR002**
EAN: 5420016814555

## 3.5" INTERNAL CARD READER

- Supports High Speed USB 2.0
- Easy to install, USB bus powered
- 5 slots and 1 USB port integrated
- Easy Plug and Play and hot swapping
- Support: Compact Flash, Microdrive Card, xD-Picture Card, Secure Digital, Multi Media Card, Memory Stick, Micro SD (HC)
- LED Indicator: Power & Transfer activity
- Dimension: 102 mm x 135.5 mm x 25 mm ( W x D x H )
- OS Support: Windows 2000 / XP / Vista/WIN7 , MAC OS

**LCR010**
EAN: 5420016817051

## 3.5" INTERNAL CARD READER 84 -IN- 1

- Supports High Speed Memory cards from 0 - 32GB
- Auto detect memory card
- 8 slots and 1 USB port integrated
- Standard 3.5" design, fits in each PC case
- Support: Compact Flash, Microdrive Card, xD-Picture Card, Secure Digital, Multi Media Card, Memory Stick, Micro SD (HC) SIM, SMART Card
- IR receiver, MCE Function
- OS Support: Windows 2000 / XP / Vista/WIN7 , MAC OS 10.4.5

**LCR011**
EAN: 5420016818997

## MINI USB CHARGER + 3X USB 2.0 PORTS

- Plug & play and hot swap capability
- Bus Powered, no external power adapter needed
- 3 USB 2.0 ports & 1 mini USB port
- Connect up to 127 types of USB Devices
- Compliant with OHCI and EHCI host controller
- High speed data transfer up to 480Mbps

**LUH001**
EAN: 5420016814562

## USB 2.0 HUB 4 PORTS

(WITH POWER SUPPLY)

- USB 2.0 interface
- Stylish aluminium design

**LUH010**
EAN: 5420016817785

## USB BLUETOOTH MINI DONGLE

- Supported profile: dial up networks, LAN access, fax, serial ports, synchronised file transfer, information exchange and audio profile
- Enable wireless connection to Bluetooth devices
- Bluetooth specification V2.0 & V1.2 compliant
- Windows 98, 98se, Me, 2000, XP, Vista, 7
- Interface: USB
- Symbol rate: 3Mbps
- Receiving/Sending range: 20m

**LBT001**
EAN: 5420016816375

# USB Keyboards & Mice

## USB MULTIMEDIA KEYBOARD

- Blister packaging
- AZERTY layout
- Slim keycap
- USB interface
- Desktop PC or notebook compatible
- MSDOS, Win98, WinME, W2000, WinXp, Vista

**LKB001**
EAN: 5420016810458

## USB NUMERIC KEYBOARD

- USB interface
- Slim keycap
- Desktop PC or notebook compatible
- Operating voltage: +5V +-5%
- Less than 5mA operating current
- MSDOS, Win98, WinME, W2000, WinXp, Vista
- Suitable for notebooks, banking, ...

**LOG20221**
EAN: 5420016810441

## USB SLIM KEYBOARD

- USB interface
- MSDOS, Win98, WinME, W2000, WinXp, Vista

**LKB010**
EAN: 5420016818317

## USB COMPACT MINI PCKEYBOARD

- USB interface
- MSDOS, Win98, WinME, W2000, WinXp, Vista

**LKB015**
EAN: 5420016818300

## WIRELESS KEYBOARD & MOUSE

- 2.4GHz wireless connectivity
- Nano receiver plug
- Working Distance up to 8 metres

**Keyboard:**
- Slim keycap, thin stylish design
- Simple design, soft touch
- Battery: 2x AAA - 3V

**Mouse:**
- Auto sleep function
- Battery: 2x AAA - 3V
- Right, middle - scroll wheel & left button
- Resolution: 500 or 1000 DPI

**LKB005**
EAN: 5420016816191

## USB MICE

- USB optical mouse
- 800dpi sensor
- With scroll wheel

- 5 Buttons

- 3 Buttons

- 3 Buttons
- Wireless up to 10m

**LMS001**
3 buttons EAN: 5420016810564

**LMS005**
5 buttons EAN: 5420016810571

**LMS010**
wireless EAN: 5420016810588

**LMS015**
black EAN: 5420016814203

**LMS020**
green EAN: 5420016814210

**LMS025**
orange EAN: 5420016814227

**LMS030**
blue EAN: 5420016814234

**LMS035**
pink EAN: 5420016814241

## USB COLORED MICE

- Mouse Type: Wired mouse
- Sensor Type: Optical (800dpi)
- Button: 3 buttons with scroll wheel
- Interface: USB

# **Headsets** for PC, MP3, MP4, DVD, ...

Excellent sound quality // Stereo headphone with high sensitive condenser microphone // Soft and medium size comfortable ear cushions // Easy adjustable headband ensures optimum fit and comfort // With volume control

- Impedance: 32 Ohm at 1KHz
- Sensitivity: 105 dB/mW
- Frequency response: 20-20.000Hz
- Cord length: Approx. 2.5M
- Weight: 200g



**LHS001**
EAN: 5420016810618

**LHS005**
EAN: 5420016810625

**LHS015**
EAN: 5420016810649

**LHS020**
EAN: 5420016810656



**LHS025**
EAN: 5420016810663



**LHS030**
EAN: 5420016810670

**LHS035**
EAN: 5420016810687

**LHS040**
EAN: 5420016810694

**LHS050**
EAN: 5420016818119

**LHS055**
EAN: 5420016818126

## **EARPHONES** for portable CD, MD, MP3, Computer and TV Players

- High performance elastomer cord
- Ø16 driver with neodymymium magnet
- Impedance: 32 Ohm at 1KHz
- Sensitivity: 105 dB/mW
- Frequency response: 20-20.000Hz
- Cord length: Approx. 1.2M

**LHS010**
EAN: 5420016810632

**LHS045**
EAN: 5420016810618

# Speakers

## PORTABLE MINIBOOM SPEAKERSET

- Tiny pocket size with room filling sound
- Pop-up chamber for Bass enrichment
- Built-in rechargeable Lithium Battery
- Built-in Retractable Audio-cable
- Best Solution for Mp3 Player, iPOD, iPhone ...

**LOG0010**
black EAN: 5420016809469

## 2.0 CHANNEL SPEAKERS SET

- P.M.P.O.: 180W
- RMS: 1W + 1W
- Frequency: 120Hz - 20KHz
- Sensitivity: >55dB
- Magnetically shielded
- On / Off switch
- Volume control
- 3.5" audio input
- Ergonomic design

**LSP001**
EAN: 5420016810601



## PORTABLE MINI SPEAKER WITH MICROSD/SDHC SLOT

- Pocketsize Portability
  Small enough to carry around on a daily-basis
- Vacuum Bass
  Small in size but big in bass
- In-built Rechargeable battery
  Cost efficient & daily convenience
- 360° sound field
  Integrates a cone design with a custom-built speaker to project sound in all directions

**LSP005**
black EAN: 5420016817945

**LSP010**
green EAN: 5420016817952

**LSP015**
orange EAN: 5420016817969

**LSP020**
pink EAN: 5420016817976

**LSP025**
blue EAN: 5420016817983

**LSP030**
purple EAN: 5420016817990

# Convertor

## USB 2.0 TO RS232 CONVERTOR

- USB 2.0 interface
- Supports RS232 serial interface DB9
- Supports tranfer rates of 1Mbps and higher
- Supports Remote Wake-Up and Energy-Saving
- Win98/2000/XP Mac OS v8.6 or higher

**LUA010**
EAN: 5420016817778

# Notebook Bags

## 10” & 13” LAPTOP SLEEVE

- Protective Neoprene Sleeve provides extra protection for your laptop

LNB010
EAN: 5420016810496

LNB013
EAN: 5420016810496

## 17” NOTEBOOK BACKPACK

- Carrying backpack for notebook and accessoires
- Fits most notebooks with screens up to 17”
- Padded compartment with interior pockets for storing many accessories
- Quick acces front pocket
- Easy acces side pockets
- Pads for back support
- Waterproof material

LNB017
EAN: 5420016817440

## 18” NOTEBOOK BAGS

- Suitable for notebooks with screen up to 18”
- Carry bag with compartments to store your notebook’s power adapter, cables, peripherals, CD’s / DVD’s, etc
- Padded interior to protect your notebook

LNB018
EAN: 5420016814036

# USB 2.0 HDD Cases

## EXTERNAL ENCLOSURE USB 2.0 FOR 2.5” SATA HDD

- Supports Windows ME / 2000 / XP / Vista / 7 and Mac OS
- Color LED indicator
- Plug and Play
- Downgrade compatible with USB 1.1
- Supports up to 500GB HDD

LHC001
EAN: 5420016817730

## EXTERNAL ENCLOSURE USB 2.0 FOR 3.5” SATA HDD

- Supports Windows ME / 2000 / XP / Vista / 7 and Mac OS
- Color LED indicator
- Plug and Play
- Downgrade compatible with USB 1.1
- Supports up to 2TB HDD

LHC005
EAN: 5420016817747

# PC ASSEMBLY

## Power Supply

### ATX 450W

- ATX 450W P4 ready
- INTEL P4 & AMD compatible
- Low noise thermal control
- 8 cm fan with grill cover
- PFC for high power efficiency
- 20+4 pin, 2 x FDD, 1x P4 MB, 1 x SATA, 4 x 4-pin molex
- ROHS certified
- Dimensions: 150 x 140 x 84 mm

**TPW450**
EAN: 5420016811936

### ATX 590W

- ATX 590W P4 ready
- INTEL P4 & AMD compatible
- Low noise thermal control
- 8 cm fan with grill cover
- PFC for high power efficiency
- 20+4 pin, 2 x FDD, 1x P4 MB, 1 x SATA, 4 x 4-pin molex, 1x 6-pin AUX (PCI-e)
- PCI Express Connector
- ROHS certified
- Dimensions: 150 x 140 x 84 mm

**TPW590**
EAN: 5420016814050

### ATX 800W

- ATX 800W P4 ready
- INTEL P4 & AMD compatible
- Low noise thermal control
- 12 cm fan with grill cover
- PFC for high power efficiency
- 20+4 pin, 2 x SATA, 6 x 4-pin molex, 1x 6-pin PCI-E, 1x FDD, 2x 4-pin P4
- PCI Express Connector
- ROHS certified
- Dimensions: 150 x 140 x 84 mm

**TPW800**
EAN: 5420016818027

### USB 2.0 TO IDE & SATA ADAPTER CABLE

- Connect your SATA / IDE device to your computer through a USB port
- USB 2.0 interface Supports HDD, 2.5" HDD, 3.5" HDD, DVD-ROM devices
- AC 90v - 264v
- Interface: USB 2.0

**LUA005**
EAN: 5420016817761

### 2.5"/3.5" CLONE SATA HDD DOCKING STATION
**(MODEL: SATA+SATA TO USB 2.0/ESATA)**

- Supports 2.5" / 3.5" SATA HDD Docking Station
- IC chipset: JMS352U
- Up to 4TB HDD - Max 2x 2TB hard drive at the same time
- Color LED indicator
- HDD clone function-HDD clone without computer.
- Power supply, USB & eSATA cable included
- Supports Win ME/2000/ XP/Vista/7, Mac OS 10x & Above

**LDS001**
EAN: 5420016818072

## Coolers

### COOLING FAN 12V DC

| Reference | Description | EAN CODE |
|---|---|---|
| **TCOOL124010** | 40 x 40 x 10 mm | 5420016809230 |
| **TCOOL125010** | 50 x 50 x 10 mm | 5420016809261 |
| **TCOOL126010** | 60 x 60 x 10 mm | 5420016809278 |
| **TCOOL126025** | 60 x 60 x 25 mm | 5420016809285 |
| **TCOOL127025** | 70 x 70 x 25 mm | 5420016809292 |
| **TCOOL128025** | 80 x 80 x 25 mm | 5420016809308 |
| **TCOOL129225** | 92 x 92 x 25 mm | 5420016809247 |
| **TCOOL1212025** | 120 x 120 x 25 mm | 5420016809254 |

# POWER UTILITIES

## Power Adaptors

### UNIVERSAL TRAVEL ADAPTOR

- Outlet nr.1: Europe: Suitable for Spain, France, Greece and most European countries
- Outlet nr.2: U.S.A: Suitable for United-States, Canada, Middle East, South America and most Asian countries
- Outlet nr.3: Africa - Asia: Suitable for virtually every ( former ) Commonwealth country U.K.; PLUG: Suitable for U.K., Ireland, Scotland
- Outlet nr.4: United Kingdom: Suitable for United Kingdom, Scotland, Ireland, Hong-Kong and most Commonwealth countries of United Kingdom

**LPP010**
EAN: 5420016810526

- United States adaptor to Europe male adaptor

**LPP015**
EAN: 5420016810533

- European female to United States male adaptor

**LPP016**
EAN: 5420016810540

- Universal adaptor to European male adaptor

**LPP017**
EAN: 5420016810557

## Travel Adaptors

### USB CHARGER FOR CAR / CIGAR LIGHTER

- Fits into any 12V accessories or car cigarette lighter
- 2000 mA
- 2 x USB port: type A female

**Works for iPod and iPhone**

**LPP001**
EAN: 5420016810496

### USB 220V CHARGER

- USB home charger
- Home charger: simply plug the charger into any in house wall outlet
- 1 x USB port: type A female

**Works for iPod and iPhone**

**LPP002**
EAN: 5420016810502

### TRAVEL CHARGER SET

- USB travel & home charger

**Works for iPod and iPhone**

**LPP003**
EAN: 5420016810519

# Power Strips

## WITH SURGE PROTECTION

- Max: 3680W / 230 V
- On / Off switch
- EMI/TFI filter
- Children protection

| Reference | Description | Cable length | EAN CODE |
|---|---|---|---|
| **PS04SP** | 4 x 16A | 1,5m | 5420016804860 |
| **PS04SP3M** | 4 x 16A | 3m | 5420016814005 |
| **PS06SP** | 6 x 16A | 1,5m | 5420016804594 |
| **PS08SP** | 8 x 16A | 1,5m | 5420016804600 |
| **PS10SP** | 10 x 16A | 1,5m | 5420016804617 |

## WITH ON/OFF SWITCH

- Max: 3680W / 230 V
- On / Off switch

| Reference | | Description | Cable length | EAN CODE |
|---|---|---|---|---|
| **PS4BS** | BL | 4 x 16A | 1,5m | 5420016804525 |
| **PS4WS** | WH | 4 x 16A | 3m | 5420016804518 |
| **PS4WS5M** | WH | 4 x 16A | 5m | 5420016806130 |
| **PS5BS** | BL | 5 x 16A | 1,5m | 5420016804556 |
| **PS5WS** | WH | 5 x 16A | 1,5m | 5420016804549 |
| **PS6BS** | BL | 6 x 16A | 1,5m | 5420016804587 |
| **PS6WS** | WH | 6 x 16A | 1,5m | 5420016804570 |

## REGULAR

- Max: 3680W / 230 V

| Reference | | Description | Cable length | EAN CODE |
|---|---|---|---|---|
| **PS3B** | BL | 3 x 16A | 1,5m | 5420016804495 |
| **PS3W** | WH | 3 x 16A | 1,5m | 5420016807229 |
| **PS4B** | BL | 4 x 16A | 1,5m | 5420016806550 |
| **PS4W** | WH | 4 x 16A | 1,5m | 5420016804501 |
| **PS4W3M** | WH | 4 x 16A | 3m | 5420016806123 |
| **PS4W5M** | WH | 4 x 16A | 5m | 5420016806130 |
| **PS5B** | BL | 5 x 16A | 1,5m | 5420016806567 |
| **PS5W** | WH | 5 x 16A | 1,5m | 5420016804532 |
| **PS6W** | WH | 6 x 16A | 1,5m | 5420016804563 |

## ENERGYMETER

- Determine the power costs of your devices by means of this energy meter
- Large LCD display
- Selection of double cost tariff
- 3 different screens present all electrical data
- Full reset fuction
- Input/output through child-safe plug/socket

**LPP020**
5420016816351

## 2-WAY SOCKER SPLITTER

- Number of plugs: 2 x schuko
- Socket type: French (type E)
- Maximum power: 3680 Watt - 230V
- With child protection

**PS02SP**
5420016815552

## WITH SURGE PROTECTION

- Power : 250V - 16A
- 1 Output
- Max voltage: 6KV

**PS01SP**
5420016810601

# Extension Cord

**PSPC02**
Length: 2.00 m
EAN: 5420016807779

**PSPC03**
Length: 3.00 m
EAN: 5420016807786

**PSPC05**
Length: 5.00 m
EAN: 5420016807793

# Switch Power Supply

## 90W NOTEBOOK POWER ADAPTOR

- 7 voltages: 15, 16, 18, 19, 20, 22, 24V
- 2A USB + 5V output port for charging multimedia devices
- Overhead & Short Circuit protection
- World wide input AC voltage: 100-240V, 50/60Hz
- 9 easy detachable & durables power plugs
- For over 1000 models of laptops

• + DELL tip

**LPA001**
EAN: 5420016817013

## 130W NOTEBOOK POWER ADAPTOR

- 7 voltages: 15, 16, 18, 19, 20, 22, 24V
- Short circuit protection
- 2A USB +5V output port for charging multimedia devices
- Worldwide input AC voltage: 100~240V, 50/60Hz
- 9 easy detachable & durable power plugs
- For over 1000 models of laptops

• + DELL tip

**LPA005**
EAN: 5420016817020

## SWITCH POWER SUPPLY - 1000MA

- Input Voltage: AC 100-240V ~ 60/50Hz
- Output Voltage: 3.0/4.5/5.0/6.0/7.5/9.0/12V DC
- Output Current: 1000mA
- Output Plug: 6 x C detachable plug
- Input method: Plug-In

**LPA020**
EAN: 5420016817167

## SWITCH POWER SUPPLY - 3000MA

- 4 exchangeable input plugs (British- type, American- type and Australian- type). User could use the adaptor all over the world
- 5.0V DC - 24.0V DC resistors available for voltage adjustment
- 20 resistors for output voltages adjustment

**LPA021**
EAN: 5420016817174



# POINT OF SALES

## BARCODE CCD SCANNER

- USB interface
- 82 mm scan width
- 660nm Red LED array
- Supports a wide range of systems: PC XT/AT, PS/2, Mac OS, POS, Mainframes and Terminals
- Scan Rates: 33~100 scans/sec

**LOG100-USB-B**
EAN: 5420016806222

## LASER GUN SCANNER

- USB interface
- Lightweight, easy for hand-hold
- Adjustable trigger or triggerless operation
- Full featured and full functions of built-in decoder, software configuration, support reading most types of barcode
- 670 nm ±0nm for CCD
- Scan Rates: 33~100 scans/sec

**LOG115-USB-B**
EAN: 5420016807908

# SECURITY

## NOTEBOOK COMBINATION LOCK

- Wether on trade fairs, exhibitions, at office or at home: the laptop ,can be secured with this high-quality combination lock. Just attach the steel cable to a fixed object and secure the combination lock at the notebook. The combination lock is suitable for all notebooks equipped with a standardized locking slot.
- Cable length: 1.80m

**LKL001**
EAN: 5420016816504

## NOTEBOOK KEY LOCK

- Wether on trade fairs, exhibitions, at office or at home: the laptop ,can be secured with this high-quality key lock. Just attach the steel cable to a fixed object and secure the key lock at the notebook. The key lock is suitable for all notebooks equipped with a standardized locking slot.
- Cable length: 1.80m

**LKL002**
EAN: 5420016816511

# TOOLS / MEASUREMENTS

## TOOLKIT 8 PIECES

- 1 x 8” Multi-Purpose Telephone & Network Pliers
- 1 x 4.8” Fiber Optic Stripping (3.2-9.0mm)
- 1 x Test Pen
- 2 x Precision Screwdriver: 2.4 x 40mm; PH.00 x 40mm
- 1 x 5” Mini Long Nose Pliers
- 1 x 5” Mini Diagonal Cutting Nippers
- 1 x Impact & Punch Down Tools

**LTK005**
EAN: 5420016817075

## TOOLKIT 29 PIECES

- 7x sockets ( 7, 8, 9, 10, 11, 12, 13 mm )
- 10x Bits
- 1x Extension Bar
- 6x Hex Key Wrench ( 2, 3, 4, 5, 6 mm )
- 2x Precision Screwdriver
- 1x Bit Holder
- 1x Diagonal Cutter
- 1x Long Nose Pliers

**LTK001**
EAN: 5420016817068

## TOOLKIT 19 PIECES

- 1 x 8” multi-purpose telephone & network pliers
- 1 x 4.8” fiber optic stripping (3.2-9.0mm)
- 1 x test pen
- 2 x screwdriver ( 5x75mm; PH 1x75mm)
- 2 x precision screwdriver (2.4x 40mm, PH 00x40mm)
- 1 x 5” mini long nose pliers
- 1 x 5” mini diagonal cutting nippers
- 1 x impact & down tools
- 1 x digital multi meter
- 9 x network plug (RJ45)

**LTK010**
EAN: 5420016817082

## DIAGONAL CUT 100 MM

- Mini plier
- Premium alloy steel construction
- Unique rust-resistant black nickel finish
- Ergonomic rubberized soft grip handles
- Diagonal Cut 4 “

**TOOL3036**
EAN: 5420016804921

## BENT NOSE 125 MM

- Mini plier
- Premium alloy steel construction
- Unique rust-resistant black nickel finish
- Ergonomic rubberized soft grip handles
- Bent nose 5 “

**TOOL3039**
EAN: 5420016804945

## END CUT 100 MM

- Mini plier
- Premium alloy steel construction
- Unique rust-resistant black nickel finish
- Ergonomic rubberized soft grip handles
- End Cut 4 “

**TOOL3037**
EAN: 5420016804938

## FLAT NOSE 115 MM

- Mini plier
- Premium alloy steel construction
- Unique rust-resistant black nickel finish
- Ergonomic rubberized soft grip handles
- Flat nose 4-1/2 “

**TOOL3040**
EAN: 5420016804952

### NETWORK CABLE TESTER FOR UTP/STP

- Test UTP/STP cable
- Shielded/Unshielded
- For testing RJ45/RJ12/RJ11
- With remote
- Test patch panel / wallmount

**TCT001**
EAN: 5420016804679

# SUPPLIES

## Cleaning Products

### AIR-DUSTER/COMPRESSED AIR

- Spray Duster
- 400 ml
- For blowing dust and debris from inaccessible areas of electronic equipment (computer, keyboard, printers, CD-ROM/disk drives, copiers, fax machines, etc.)
- Variable spray intensity
- Environment friendly

**LCP001**
EAN: 5420016817099

### TFT/LCD CLEANING KIT

- Content: 7ml TFT/LCD Cleaner, 1 micro-fibre ( 20 x 20 cm ).
- Special cleaning spray for TFT and LCD screens, e.g. of digital cameras, laptops, digital frames, PDA, mobile phones, game consoles, TV, lenses, micro-film reading and OHP screens.

**LCP015**
EAN: 5420016817129

### 100 CLEANING WIPES

- Special cleaning cloths for TFT/LCD screens (eg. laptops and flat screens), PDA, mobile phones, game consoles, screen-free filters and all treated and untreated glass surfaces eg. mirrors, microfilm reading screens, OHP screens and lenses.
- Moist cleaning cloths for plastic surfaces (printer, keyboard, Visual Display Unit, computer case, phone, fax, etc.) Thoroughly removes dust and stains (i.e ball pen stains). Versatile for use everywhere. Boxed, for convenient use

**LCP005**
EAN: 5420016817105

### SURFACE CLEANER - 400ML

- Special cleaning spray for TFT/LCD screens (eg. laptops and flat screens), PDA, mobile phones, game console, screen-free filters and all treated and untreated glass surfaces eg. mirrors, microfilm reading screens, OHP screens and lenses.

**LCP020**
EAN: 5420016817136

### WET/DRY TISSUES

- It is essential to clean LCD/TFT screens. The cleaning tissues absorb dirt, fingerprints and nicotine stains. First use No. 1 Wet cleaning. Then wipe with No. 2 Dry cleaning. We recommend to clean your screen once a week. Ingredients: Nonionic Tenside < 5 % Contains: Odoriferous substances (LIMONEN), preservatives (2-Bromo-2-Nitropro-pane-1, 3-Diol, Methylisothiazolinone, Methylchloroisothiazolinone). Before application, please refer to the manufacturer's cleaning instructions. Keep out of the reach of children.

**LCP010**
EAN: 5420016817112

### MULTIMEDIA CLEANING KIT

- 125 ml TFT/LCD screen cleaner
  TFT/LCD Screen Cleaner. Special cleaning spray for TFT/LCD screens (eg. laptops and flat screens), PDA, mobile phones, game console, screen-free filters and all treated and untreated glass surfaces eg. mirrors, microfilm reading screens, OHP screens and lenses
- 125 ml Plastic casing clearing
  A surface cleaner which gently and thoroughly removes dust and dirt from plastic sufaces (e.g. computer, PDA, mp3-Player, mobile phone, game console, TV, printer, scanner keyboard etc.)
- 10 dry cloths 15 x 15 cm

**LCP025**
EAN: 5420016817143

# SHOWROOM RACK

## LOGON BLISTER GOLD PLATED CABLE

- High Quality HMDI Cable
- USB Connection Cable
- USB Extension Cable
- USB Mini Connection Cable
- UTP Patch Cable

## LOGON NOTEBOOK BAGS & SLEEVES

- Notebook Sleeve up to 10” - Folie
- Notebook Sleeve up to 13” - Folie
- Notebook Bag up to 16” - Box Pack
- Notebook Bag up to 18” - Box Pack
- Notebook Backpack up to 17” - Folie

## LOGON PORTABLE SPEAKERS

- Portable Speakers with Micro SD Player
- 6 Different colors - Plastic Box

## LOGON ENERGY METER

- Large LCD display
- Blister Pack

## LOGON NETWORK CABLE TESTER

- Test UTP/STP cable
- Blister Pack

## LOGON SECURITY LOCK CABLE

- With Combination & Keys Slot
- Blister Pack

## LOGON INTERNAL CARD READER

- All in one 3.5” card reader
- Box Pack

## LOGON CASE FOR 2.5” & 3.5” SATA HDD

- 2.5” SATA HDD Case
- 3.5” SATA HDD Case
- Box Pack

## LOGON USB MULTIMEDIA KEYBOARD

- AZERTY Layout
- Box Pack

## LOGON POWER STRIP

- With Surge Protection
- ON/OFF Switch
- Regular
- Extension Cord
- Polybags & Carton Box

LOGON



## LOGON MULTIMEDIA HEADSET

- Multimedia Headset with microphone - Blister Pack
- MP3 Earphone - Blister Pack
- USB Multimedia Headset - Carton Box

## LOGON INTERN POWER SUPPLY

- Intern Power Supply 450-590-800W - Carton Box

## LOGON TRAVEL ADAPTER

- Multi Travel Adapter - Blister Pack
- AC Adapter to French & Belgian - Blister Pack
- AC Adapter to USA - Blister Pack
- Universal Adapter - Blister Pack

## LOGON USB CHARGER

- USB 2 port to Car/Cigar Charger - Blister Pack
- USB 2.port to 220V Charger - Blister Pack

## LOGON SWITCH POWER SUPPLY

- 1000MA 3 to 12VDC - 6x detachable plug - Blister Pack
- 3000MA 3 to 15VDC - 6x detachable plug - Blister Pack

## LOGON POWER ADAPTER FOR NOTEBOOK

- 90W - 9x detachable plug - UBS Charger 2 port - Carton Box
- 130W - 9x detachable plug - UBS Charger 2 port - Carton Box

## LOGON DESKTOP OPTICAL MOUSE

- 5 Buttons Wired Mouse
- 3 Buttons Wired Mouse
- 3 Buttons Wireless Mouse

## LOGON USB HUB

- 4 port USB 2.0 Without Power Supply - Blister Pack
- 4 port USB 2.0 With Power Supply - Blister Pack

## LOGON CLEANING PRODUCT

- Air Duster
- 100 Cleaning Wipes
- 10 Wet & Dry Tissues
- LCD/Lens Cleaning Kit
- Universal Cleaning Kit

# PRODUCT INDEX


| REFERENCE | PAGE |
|---|---|
| ECO5UTP305 | 4 |
| ECO6UTP305 | 4 |
| LBL005 | 3 |
| LBL010 | 3 |
| LBL015 | 3 |
| LBL050 | 3 |
| LBL055 | 3 |
| LBL100 | 3 |
| LBL105 | 3 |
| LBL110 | 3 |
| LBL150 | 3 |
| LBL200 | 3 |
| LBL205 | 3 |
| LBL210 | 3 |
| LBL215 | 3 |
| LBL220 | 3 |
| LBL225 | 3 |
| LBT001 | 5 |
| LCP001 | 15 |
| LCP005 | 15 |
| LCP010 | 15 |
| LCP015 | 15 |
| LCP025 | 15 |
| LCR001 | 5 |
| LCR002 | 5 |
| LCR010 | 5 |
| LCR011 | 5 |
| LDS001 | 10 |
| LHC001 | 9 |
| LHC005 | 9 |
| LHS001 | 7 |
| LHS005 | 7 |
| LHS010 | 7 |
| LHS015 | 7 |
| LHS020 | 7 |
| LHS025 | 7 |
| LHS030 | 7 |
| LHS035 | 7 |
| LHS040 | 7 |
| LHS045 | 7 |
| LHS050 | 7 |
| LHS055 | 7 |
| LKB001 | 6 |
| LKB005 | 6 |
| LKB010 | 6 |
| LKB015 | 6 |
| LKL001 | 14 |
| LKL002 | 14 |
| LKL060 | 3 |
| LMS001 | 6 |
| LMS005 | 6 |
| LMS010 | 6 |
| LMS015 | 6 |
| LMS020 | 6 |
| LMS025 | 6 |
| LMS030 | 6 |
| LMS035 | 6 |
| LNB010 | 9 |
| LNB013 | 9 |
| LNB017 | 9 |
| LNB018 | 9 |
| LOG0010 | 8 |
| LOG100-USB-B | 13 |
| LOG115-USB-B | 13 |
| LOG20221 | 6 |
| LPA001 | 13 |
| LPA005 | 13 |
| LPA020 | 13 |
| LPA021 | 13 |
| LPP001 | 11 |
| LPP002 | 11 |
| LPP003 | 11 |
| LPP010 | 11 |
| LPP015 | 11 |
| LPP016 | 11 |
| LPP017 | 11 |
| LPP020 | 12 |
| LSP001 | 8 |
| LSP005 | 8 |
| LSP010 | 8 |
| LSP015 | 8 |
| LSP020 | 8 |
| LSP025 | 8 |
| LSP030 | 8 |
| LTK001 | 14 |
| LTK005 | 14 |
| LTK010 | 14 |
| LUA005 | 10 |
| LUA010 | 8 |
| LUH001 | 5 |
| LUH010 | 5 |
| PS02SP | 12 |
| PS04SP | 12 |
| PS04SP3M | 12 |
| PS06SP | 12 |
| PS08SP | 12 |
| PS10SP | 12 |
| PS3B | 12 |
| PS3W | 12 |
| PS4B | 12 |
| PS4BS | 12 |
| PS4W | 12 |
| PS4W3M | 12 |
| PS4W5M | 12 |
| PS4WS | 12 |
| PS4WS5M | 12 |
| PS5B | 12 |
| PS5BS | 12 |
| PS5W | 12 |
| PS5WS | 12 |
| PS6BS | 12 |
| PS6W | 12 |
| PS6WS | 12 |
| PSPC02 | 12 |
| PSPC03 | 12 |
| PSPC05 | 12 |
| TCOOL1212025 | 10 |
| TCOOL124010 | 10 |
| TCOOL125010 | 10 |
| TCOOL126010 | 10 |
| TCOOL126025 | 10 |
| TCOOL127025 | 10 |
| TCOOL128025 | 10 |
| TCOOL129225 | 10 |
| TCR6ASS005 | 3 |
| TCR6ASS010 | 3 |
| TCR6ASS020 | 3 |
| TCR6ASS030 | 3 |
| TCR6ASS050 | 3 |
| TCR6ASS100 | 3 |
| TCR6ASS150 | 3 |
| TCR6ASS200 | 3 |
| TCR6ASS250 | 3 |
| TCR6ASS300 | 3 |
| TCT001 | 15 |
| TCU55U005 | 2 |
| TCU55U010 | 2 |
| TCU55U020 | 2 |
| TCU55U030 | 2 |
| TCU55U050 | 2 |
| TCU55U100 | 2 |
| TCU55U150 | 2 |
| TCU55U200 | 2 |
| TCU55U300 | 2 |
| TDN1907US-BL | 4 |
| TDN1909US-BL | 4 |
| TDN19SRV18UL | 4 |
| TDN19SRV26UL | 4 |
| TDN19SRV36UL | 4 |
| TDN19SRV42U8L | 4 |
| TDN19TRAY1-B | 4 |
| TDN19TRAY2-B | 4 |
| TOOL3036 | 14 |
| TOOL3037 | 14 |
| TOOL3039 | 14 |
| TOOL3040 | 14 |
| TPC970NOPSBL | 4 |
| TPW450 | 10 |
| TPW590 | 10 |
| TPW800 | 10 |